

**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB**

Ministry of Environment, Forest & Climate Change, Government of India

O/o Directorate of Environment & Climate Change

MGSIPA Complex, Sector 26,

Chandigarh-160019

seiaapb2017@gmail.com

No. SEIAA/MS/2021/4083

Registered/E-Mail

Date: 11/05/2021

To

Sh. Atul Kumar Chaubey, Vice President (HR & EHS)

M/s Ind Swift Laboratories Ltd.

SCO 850, Shivalik Enclave, NAC Manimajra,

Chandigarh-160101

Mobile No. 9814001246.

E-mail ID: atul.chaubey@indswiftlabs.com

Subject: Environmental Clearance for expansion of the existing API manufacturing Industrial unit namely "M/s Ind Swift Laboratories Ltd." from existing production capacity of 405.2 TPA to 621.6 TPA located at Barwala Road, Village Bhagwanpura, Tehsil- Derabassi, Distt. SAS Nagar, Punjab (Proposal no. SIA/PB/IND2/176305/2020)

This has reference to your online Proposal No. SIA/PB/IND2/176305/2020 for expansion of the existing API manufacturing Industrial unit namely "M/s Ind Swift Laboratories Ltd." from existing production capacity of 405.2 TPA to 621.6 TPA located in the revenue estate of Barwala Road, Village Bhagwanpura, Tehsil- Derabassi, Distt. SAS Nagar, Punjab. As per EIA Notification, 14.09.2006 the project falls under "A" category but now, as per notification S.O. 1223(E) dated 27.03.2020 & S.O. 3636(E) dated 15.10.2020 issued by Ministry, "All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API) received up to the 30th March 2021, shall be appraised as Category 'B2' Projects to ensure drug availability or production to reduce the impact of Novel Coronavirus. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form I, PFR, EMP, additional documents & subsequent presentation /clarifications made by the project proponent & his consultant to the observations of SEIAA and SEAC. The salient features of the project are as under:-

Sr. No.	Items	Details
1.	Name & Location of the project	M/s Ind Swift Laboratories Ltd. Barwala Road, Village Bhagwanpura, Tehsil- Derabassi, Distt. SAS Nagar, Punjab
2.	Category & Activity	Category B2, Activity 5(f), as per S.O. 1223(E) dated: 27.03.2020 & S.O. 3636(E) dated 15.10.2020

3.	Total cost of project after expansion	631.06 Crores		
4.	Co-ordinates	Point	Latitude	Longitude
		A	30°33'54.78"N	76°54'16.84"E
		B	30°33'54.49"N	76°54'19.78"E
		C	30°34'6.16"N	76°54'17.38"E
		D	30°34'9.49"N	76°53'55.35"E
		E	30°34'7.72"N	76°53'55.26"E
		F	30°34'0.95"N	76°54'10.81"E
5.	Classification/Land use pattern as per Master Plan	Industrial; expansion to be carried out within the existing unit.		
6.	Plot area details	Sr. No.	Particulars	Area in sqm (% w.r.t total area)
		1.	Total Covered Area	31,414.00 (@ 28.43%)
		2.	Plantation Area	36,688.38 (@ 33.20%)
		3.	Road Area	42,404.79 (@ 38.37%)
		4.	Total area of plot	1,10,507.17 (27.31 acres)
7.	Manpower requirement after expansion	1140 employees		
8.	Production Capacity existing and proposed products:	Product Name	Existing (TPA)	Addition/ Subtraction (TPA)
		Acamprosate Calcium	1.8	17.20
		Anastrozole	0.05	- 0.04
		Aripiprazole	-	0.20
		Atorvastatin Calcium	4.8	107.20
		Azamine	20	-20.00
		Azithromycin	24	-24.00
		A-3	30	-30.00
		A-3 from A-2	2.4	-2.40
		AT 1-Pure	22	-22.00
		Clathromycin Coated Granules	48	51.00
		Clathromycin Citrate	-	8.21
		Clathromycin EP	-	73.00
		Clathromycin Normal	108	-51.00
		Clopidrogel hydrogen sulphate USP	-	45.01

			Clopidogrel Bisulphate	12	-12.00	00
			Clopidrogel - 6	24	-24.00	00
			Clopidrogel HCL IPS	-	6.00	6.00
			Cinacalcet Hydrochloride	-	0.63	0.63
			Donepezil	-	1.25	1.25
			Ezetimibe Crude	-	1.00	1.00
			Ezetimibe	-	10.8	10.8
			Fexofenadine (FHL Route)	-	30.00	30.00
			Fexofenadine HCL	26	82.00	108.00
			Fexofenadine - X	12	-2.00	10.00
			Imatinib	-	1.00	1.00
			Ivabradine	-	1.00	1.00
			Ivabradine Oxalate	-	0.70	0.70
			Letrazole	0.05	0.15	0.20
			Lisdexamphetamine Dimesylate	-	10.00	10.00
			Nateglinide	-	6.00	6.00
			Trityl Olmisartan Medoxomil	-	4.00	4.00
			Pioglitazone Hydrochloride	1.2	- 0.90	0.30
			Pentazocin-5	2	-2.00	00
			Pentazocin	1.5	-1.5	00
			Quetiapine Fumarate	-	10.00	10.00
			Risedronate Sodium	-	0.80	0.80
			Ropinirole Hydrochloride	0.6	- 0.30	0.30
			Rosuvastatin Calcium	1	4.00	5.00
			Roxithromycin	24	-24.00	00
			Temozolamide	-	0.10	0.10
			ISLLC355 (Meteraminol Bitarate)	-	0.007	0.007
			ISLLC 361 (AZE02)	-	2.00	2.00
			T-4	18	-18.00	00
			T-4	20	-20.00	00
			Venlafaxine Hydrochloride	1.8	-1.8	00
			Total	405.20 TPA	-	621.6 TPA
9.	Details of technology proposed for control of emissions generated from project	Sr. No	Item	Technology to be adopted by new unit/ After expansion		Capacity of proposed technology
		1	APCD	Dust Collector followed by Scrubber		-

		2	STP	MBBR		45 KLD		
		3	ETP	Biological Treatment		250 KLD followed by RO of 250 KLD & 2 ROs of 100 KLD capacity each		
		4	ZLD Technology	Multi Effect Evaporator (MEE)		MEE of 100 KLD with MVR of Capacity 300 KLD		
10.	Breakup of Water Requirements & its source in Operation Phase after expansion	Sr. No.	Description	Total water demand (KLD)	Fresh Water demand KID	Treated waste water utilized (KLD)		
		1.	Domestic water demand	40	40	0		
		2	Power Plant Boiler	574	322	252		
		3	Cooling Tower power Plant	334	182	152		
		4	Cooling Tower	651	425	226		
		5	Process Water	200	200	0		
		6	Construction	5	0	5		
		7	Green area water demand	202	0	202		
		8.	Others (Floor wash, wet scrubber, spray & etc.	69	54	15		
			Total	2075	1223	852		
		Sources of water:						
		Sr. No.	Purposes			Source of water		
		1.	Domestic			Tubewells		
		2.	Make-up water demand for cooling			Tubewells & treated water		
	3.	Green area water demand			Treated water			
11.	Waste water generation & its disposal Arrangement in Operation Phase (after expansion)	Details	Total Quantity	Treatment		Disposal method		
		Industrial Effluent	544 KLD	ETP (250 KLD) +3 RO (450 KLD) +MEE (100 KLD) + MVR(300 KLD)		Re-circulated in boiler, cooling tower, construction and used for spraying, landscaping and plantation purposes in areas of 5 acres		
		Domestic effluent	37 KLD	STP of 45 KLD				
		Total	581 KLD	As above				

					developed as per Karnal Technology.	
12.	Details of Emissions (After expansion)	Sr. No.	Source	Capacity	Chimney Height (m)	Air Pollution Control Device
		i)	Boiler	37 TPH	55 m	Electrostatic Precipitator followed by Scrubber
		ii)	Boiler (stand by)	10 TPH	30 m	Dust Collector followed by Scrubber
		iii	Boiler (stand by)	9 TPH	30 m	Dust Collector followed by Scrubber
		iv	Incinerator	400 Kg/hr solid or 450 ltrs/hr	30 m	Dust Collector followed by Scrubber
		v	DG Set	4x1010 KVA	6 m above roof level	Equipped with canopy
		vi	DG Set	2x625 KVA	6 m above roof level	Equipped with canopy
		vii	DG Set	2x750 KVA	6 m above roof level	Equipped with canopy
		viii	DG Set	1x500 KVA	4.5 m above roof level	Equipped with canopy
13.	Hazardous/Non-Hazardous Waste Generation details & their storage, utilization and its disposal. Copy of Agreement clearly mentioning the Quantity					
Details		Unit	Category	Existing Generation	Total after expansion	Disposal method
Spent Oil		Ltr/ annum	5.1	840	1500	Authorized Recycler
Distillation Residue		Ltr/ day	20.3	500	754.02	Incineration (captive)
Solid Waste from process		Kg/ day	28.1	1538	593.96	Incineration (captive)
Spent Carbon		Kg/ day	28.3	29.85	346.92	Incineration (captive)
Discarded & Off - Specification drugs		Kg/ day	28.4	6.14	9.50	Incineration (captive)
Date Expired drugs		Kg/ day	28.5	6.14	9.50	Incineration (captive)
Spent Solvent		Ltr/ day	28.6	0	20859.06	Authorized Recycler

	Used Containers & Barrels	Nos/ annum	33.1	1600	4500	Authorized Recycler
	Used Bags & filters	Kg/day	33.1	10	40	Authorized Recycler
	APCD Dust	Ton/ annum	35.1	0.1	0.5	TSDF Nimbua
	ETP Sludge	Kg/day	35.3	200	307	TSDF Nimbua .
	Scrubbing sludge	Kg/day	37.1	292.87	400	TSDF Nimbua
	Incineration Ash	Kg/day	37.2	200	300	TSDF Nimbua
	Evaporation salt	Kg/day	37.3	2432	4794	TSDF Nimbua
14.	Solid Waste generation and its mode of disposal	Details		Quantity after expansion	Disposal Method	
Domestic Solid Waste		240 Kg/Day	Composting			
Recyclable Paper		400 Kg/month	sold in the market			
Fly ash		520 TPM	Through cement industries			
15.	Power Load & Source	i) 11,625 KW electricity will be sourced from PSPCL ii) Silent DG sets 3x1010 KVA, 2x750 KVA, 2x625 KVA, 1 x 1010 KVA & 1 X 500 KVA will be installed.				
16.	Environment Management Plan Budget details	Sr. No	Environmental Protection Measures		Capital Cost Rs. Lakh	Recurring Cost Rs. Lakh/year
1.		Air Pollution Control		60	14	
2.		Water Pollution Control (ETP & MVR)		640	381	
3.		Landscaping		3	3	
4.		Solid & Hazardous Waste Management		20	2	
5.		Environment Monitoring & Management		5	3	
6.		Occupational Health Surveillance		6	6	
7.		Safety training to workers		2	2	
		Total		736	411	

The case was considered by the SEAC in its 198th meeting held on 05.04.2021, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications to the observations raised by it. Therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the

case to the SEIAA with the recommendation to grant Environmental Clearance to the project proponent under EIA notification dated 14.09.2006 for the project, subject to certain conditions in addition to the proposed measures.

Thereafter, the case was considered by the SEIAA in its 180th meeting held on 26.04.2021. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to grant the Environmental Clearance for expansion of API manufacturing industrial unit namely "M/s Ind Swift Laboratories Ltd." from existing production capacity of 405.2 TPA to 621.6 TPA located in the revenue estate of Barwala Road, Village Bhagwanpura, Tehsil- Derabassi, Distt. SAS Nagar, Punjab as per the details mentioned in Form I, PFR, EMP, additional documents & subsequent presentations/ clarifications made by the project proponent and his Environmental Consultant, subject to certain amended conditions as agreed by the project proponent and other conditions as proposed by SEAC in addition to the proposed measures.

Accordingly, SEIAA, Punjab hereby accords Environmental Clearance for the above project under the provisions of EIA Notification dated 14.09.2006 & its subsequent amendments made vide notification dated 27.03.2020 & 15.10.2020 as B2 project, subject to proposed measures & strict compliance of terms and conditions as follows: -

I. Statutory compliance

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain the necessary permission from the Central Ground Water Authority/ competent authority concerned, in case of drawl of ground water and also in case of drawl of surface water required for the project. In case of non- grant of permission by CGWA for ground water abstraction, the industry shall make alternative arrangements by using surface water or treated city sewage effluent after obtaining permission from competent authority.

- v. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Punjab State pollution Control Board/ Committee.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vii. The project proponent shall comply with the siting criteria, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of units.
- viii. The project proponent shall comply with the CLU conditions imposed by competent authority, if any
- ix. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install a system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5} in reference to PM emission, and SO₂ and NO_x in reference to SO₂ and NO_x emissions) within and outside the plant area (at least at four locations one for small units) within and three outside the plant area at an angle of 120°each), covering upwind and downwind directions.
- iv. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- v. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

- vi. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
- vii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with
- viii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extent regulations and the guidelines in this regard.
- ix. Ambient air & noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air quality, noise especially during worst noise generating activities, water quality and soil should be periodically monitored during construction phase as well as operation & entire life phase as per the MoEF&CC guidelines, maintain the record for the same and all the mitigation measures should be taken to bring down the levels within the prescribed standards.

III. Water quality monitoring and preservation

- i. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- ii. The project proponent has provided Multiple Effect Evaporator of capacity @ 100 KLD for the treatment of high TDS wastewater generated from the process. The MEE condensate shall be utilized in the cooling tower. ETP of 250 KLD capacity has been installed for the treatment of low TDS wastewater. The treated wastewater from the ETP shall be treated in RO and the RO permeate shall be utilized in the cooling tower. The domestic sewage (37 KLD) will be treated in STP having 45 KLD capacity. RO reject will be treated in MVR of 300 KLD capacity.
- iii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- iv. Total fresh water requirement shall not exceed the 1223 KLD. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- v. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- vi. The Company shall store the rainwater from the roof tops of the buildings and utilize the same for different industrial operations within the plant.
- vii. Water demand during construction should be reduced by use of ready mixed concrete, curing agents and other best practices.

- viii. Provide electromagnetic flow meter at intake of water supply from the at the borewell for abstraction of ground water if any, outlet of the ETP/STP and any pipeline to be used for re-using the treated wastewater back into the system and for horticulture purpose/green belt etc.
- ix. A proper record regarding groundwater abstraction, water consumption, its reuse and disposal shall be maintained on daily basis and shall maintain a record of readings of each such meter on daily basis.
- x. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.
- xi. Separation of drinking water supply, treated sewage supply and treated permeate line leading back to the process water should be done by the use of different colors.

IV. Noise monitoring and prevention

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. The energy sources for lighting purposes shall preferably be LED based.
- ii. The project proponent shall make efforts to ensure the reduction of overall power demand which may be met by solar system including the provision of solar water heating or through any other innovative environment friendly techniques.

VI. Waste management

- i. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- ii. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people with the approval of competent authority. The project proponent will comply with the provisions of Construction & Demolition Waste Rules, 2016. Dust, smoke & debris prevention measures such as wheel washing, screens, barricading and debris chute shall be installed at the site during construction including plastic / tarpaulin sheet covers for trucks bringing in sand & material at the site.
- iii. Construction spoils, including bituminous material and other hazardous material, must not be allowed to contaminate watercourses. The dump sites for such material must be secured, so that they should not leach into the groundwater.

- iv. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- v. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- vi. The Project proponent shall abide by the provisions of Solid Waste Management Rules, 2016 (amended from time to time), if applicable.
- vii. The company shall undertake waste minimization measures as below: -
 - a. Metering and control of quantities of active ingredients to minimize waste.
 - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - c. Use of automated filling to minimize spillage.
 - d. Use of Close Feed system into batch reactors.
 - e. Venting equipment through vapour recovery system.
 - f. Use of high-pressure hoses for equipment clearing to reduce wastewater generation

VII. Green Belt

- i. The green belt shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Total 1455 trees to be planted without accounting the shrubs in addition to 3160 existing trees and protect the same with tree guard made of concrete.

VIII. Safety, Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may

be in the form of temporary structures to be removed after the completion of the project.

- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

A first aid room will be provided in the project both during construction and operation phase of the project.

X. Environmental Management Plan

- i) The project proponent shall adhere to the commitments made in the proposal for CSR activities for spending at least a minimum amount of Rs.35.97 lacs towards the following CER activities. The details are given below: -

Sr No.	CSR Activities	Aspect	Amount to be spent in Rs
1)	Expenditure on Team Lease Skill University, Training and Skill Development Academy and Distil Education & Technology Private Limited	Education	RS 33,72,072/-
2)	Donation for installation of Sensor based light & Control System	Rural Development	Rs 25,000/-
3)	Training to Promote Rural Sports, National Recognized Sports	Sports	Rs 2,00,500/-
	Total Amount to be spent		Rs 35,97,572/-

The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.

- iv) Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in separate accounts and not to be diverted for any other purpose. The project proponent shall spend the minimum amount of Rs 736 Lacs towards the capital cost and Rs 411 Lacs/annum towards recurring cost in the construction & Operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent. Year-wise progress of implementation of the action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Report.

IX Validity of Environmental Clearance.

- i. This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier

X. Miscellaneous

- i. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc. shall be obtained, by project proponent from the competent authorities including Punjab Pollution Control Board and from other statutory bodies as applicable.
- ii. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority, Punjab.
- iii. The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- iv. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- v. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- vi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vii. The project proponent shall monitor the criteria pollutants level namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral

- parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- viii. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
 - ix. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
 - x. The project proponent shall inform the Regional Office of the Ministry and PPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production/operation by the project.
 - xi. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
 - xii. The project proponent shall abide by all the commitments and recommendations made in the EIA /EMP report, and also that during their presentation to the SEAC and SEIAA.
 - xiii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
 - xiv. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - xv. The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
 - xvi. The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
 - xvii. The Regional Office of this Ministry or Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office and PPCB by furnishing the requisite data / information/monitoring reports.
 - xviii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and

any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xix. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

XI. ADDITIONAL CONDITIONS:

- i. To achieve the Zero Liquid Discharge, waste water generated from different industrial operations should be properly collected, treated to the prescribed standards and then recycled or reused for the identified uses.
- ii. The project proponent shall make necessary arrangements for the recovery and reuse of steam condensate resulting from the indirect steam applications and shall not allow to discharge such effluents into drain.
- iii. The project proponent shall provide advanced scrubbing systems with proper neutralizing media to handle the acidic/alkaline emissions from storage, handling & processing activities. Wherever required, packed bed scrubbers will also be provided. The suction and scrubbing systems shall also be designed to handle the inherent odours from such units.
- iv. The project proponent shall provide the Air Pollution Control Devices as proposed by the PPCB to control the emissions generated from the boiler within the prescribed parameter.
- v. The project proponent shall practice rainwater harvesting to maximum possible extent. For this village ponds located at Villages Rampur Sainian & Punsar shall be adopted for desilting to recharge the rainwater. Pond water will percolate through natural strata (without injection) to augment the ground water and remaining water shall be used for irrigation purposes by pumping method in the nearby fields.
- vi. The project proponent shall complete the proposed rain water harvesting within a period of two months and upload the status on PARIVESH web portal which will be reviewed by SEIAA after three months.
- vii. The project proponent shall upload six-monthly report on the status of compliance of stipulated Environmental Clearance granted vide letter dated 16.03.2006 by the Ministry on PARIVESH web portal by 01.06.2021.
- viii. The project proponent shall obtain permission from PWRDA for the extraction of ground water as per project proposal.
- ix. As volunteered by the project proponent, they shall undertake additional CSR activities to the tune of Rs 10 Lakhs within the next 3 months for specific Covid 19 epidemic relief measures


Member Secretary

Endst. No. _____

Through E-mail

Date _____

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
5. The Deputy Commissioner, SAS Nagar
6. The Deputy Director General (C), Ministry of Environment, Forests & Climate Change, Northern Regional Office, Bays No. 24-25, Sector- 31-A, Chandigarh.
7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.
8. The Joint Director, Ministry of Environment and Forest, Northern Regional Office, Bays No. 24-25, Sector-31A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
 - a) Name of the applicant : Mr. Atul Kumar Chaubey
Vice President (HR & EHS)
 - b) Phone Number : 9814001246
 - c) Email Id : atul.chaubey@indswiftlabs.com
9. Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhavan, Jorbagh Road, New Delhi - 110003.


Member Secretary